# Classic Update Series

1947-55 Chevy Truck

# START HERE!

#### PLEASE READ THIS BEFORE STARTING INSTALLATION!

This wiring kit is designed for ease of installationand is for use with a 12 volt electrical system ONLY! Any 6 volt accessories will need to be converted to 12 volts before installation of any wiring. Please read the guidelines below, BEFORE STARTING your installation to guarantee a successful job. Use an appropriate crimping tool which folds the wings of the open barrell terminals down into the wire as shown below. ALL TERMINALS THAT YOU INSTALL SHOULD BE PROPERLY SOLDERED. Our factory crimped terminations are installed by GM approved five ton presses, and soldering these terminations is not necessary. AAW offers a great terminal crimping video entitled "Proper Crimping Video". It can be viewed by visting YouTube. Type the following address into your web browser to go directly to the video: www.youtube.com/watch?v=8u EkMsioMy.







of terminal

**INSTALLATION INSTRUCTIONS** 

of terminal

## STEP 1: DISCONNECT YOUR BATTERY:

Disconnect the battery before installing the wiring kit to prevent any accidental shorting caused by loose bare wire ends.

#### STEP 2: START INSTALLING KIT:

This kit is broken down into individual steps that are identified by a letter printed on the instruction sheets visible through each bag. These letters are the order of operation for installing your kit. Start with the bag letter 'G", then "H", etc. The order of installation is shown below.

G	500465	Dash Harness Kit
Н	510427	Instrument Cluster Kit
J	510405	Engine Kit
K	510418	Parking Lamp Kit
L	500432	Front Light Kit
M	510411	Rear Body Kit
N	500472	Courtesy Lamp Kit
Z	510476	Alternator and Main Connection Kit

#### STEP 3: RECONNECT YOUR BATTERY:

When you have completed the installation and are ready to reconnect the battery, make sure that the following electrical system grounds are in place:


- A. Battery is grounded to the ENGINE BLOCK.
- B. Battery is grounded to the frame.
- C. Engine block is grounded to the frame.
- D. Body is grounded to the frame.

# STEP 4: CHECK ALL ELECTRICAL FUNCTIONS:

Any non-functioning items should be checked for proper installation. Any problems with your wiring and electrical circuit functions should be addressed to American Autowire Systems, Inc. as soon as possible to avoid any warranty problems.

If you have any questions concerning this or any of our products, please feel free to call us at 1-800-482-WIRE.

"AMERICAN AUTOWIRE MAKES IT EASY!"



### **OPTIONAL ACCESSORY KITS**

Brake Switch p/n 500097 Button type, 2 blade contact to operate brake lights.

Brake Switch p/n 500145 Button type, 4 blade contact to operate brake lights & cruise control / lock up converter.

Brake Switch p/n 500098 Original Lever type.

Universal Relay Kit p/n 500479 Complete relay kit with wiring and relay.

Wiper Switch p/n 500146 Two speed wiper switch.

Master Disconnect

Switch p/n 500003 HD battery disconnect.

**Battey Junction** 

Block p/n 500155 Use for joiningbattery power leads or ground leads.

Assembly Manual p/n 36385 Factory assembly manual

THIS KIT DOES NOT SUPPORT (STOCK)
ORIGINAL GENERATORS. THE UPDATED
DESIGN OF THIS NEW KIT REQUIRES MORE
POWER THAN THE (STOCK) ORIGINAL
GENERATOR IS CAPABLE OF SUPPLYING.



www.americanautowire.com 856-933-0801


PART#


500467

**DESCRIPTION:** 

FULL VEHICLE WIRING KIT 1947-55 CHEVY/GMC TRUCK

92965202 Instruction Sheet Rev 10.0 1/10/2018





THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK



PART#

500467

DESCRIPTION:

FULL VEHICLE WIRING KIT 1947-55 CHEVY/GMC TRUCK

92965202 Instruction Sheet Rev 10.0 1/10/2018