
# **Classic Update Series**

## 1955-59 Chevy Truck

# **START HERE !**

### PLEASE READ THIS BEFORE STARTING INSTALLATION !

This wiring kit is designed for ease of installationand is for use with a 12 volt electrical system ONLY! Any 6 volt accessories will need to be converted to 12 volts before installation of any wiring. Please read the guidelines below, BEFORE STARTING your installation to guarantee a successful job. Use an appropriate crimping tool which folds the wings of the open barrell terminals down into the wire as shown below. ALL TERMINALS THAT YOU INSTALL SHOULD BE PROPERLY SOLDERED. Our factory crimped terminations are installed by GM approved five ton presses, and soldering these terminations is not necessary. AAW offers a great terminal crimping video entitled "Proper Crimping Video". It can be viewed by visting YouTube. Type the following address into your web browser to go directly to the video: www.youtube.com/watch?v=8u EkMsioMy.



wire core

INSTALLATION INSTRUCTIONS

#### STEP 1: DISCONNECT YOUR BATTERY:

Disconnect the battery before installing the wiring kit to prevent any accidental shorting caused by loose bare wire ends.

#### STEP 2: START INSTALLING KIT:

This kit is broken down into individual steps that are identified by a letter printed on the instruction sheets visible through each bag. These letters are the order of operation for installing your kit. Start with the bag letter 'G", then "H", etc. The order of installation is shown below.

- G 500482 Dash Harness Kit
- Instrument Cluster Kit H 510417
- 510405 Engine Kit
- Front Light Connection Kit 510418
- Front Light Kit 500432
- Rear Body Kit Μ 510411
- Courtesy Lamp Kit Alternator and Main Connection Kit N Z 500472 510476

### STEP 3: RECONNECT YOUR BATTERY:


When you have completed the installation and are ready to reconnect the battery, make sure that the following electrical system grounds are in place:

- Battery is grounded to the ENGINE BLOCK. Α.
- Battery is grounded to the frame. В.
- Engine block is grounded to the frame. C.
- D. Body is arounded to the frame.
- E. RE-CHECK GROUNDS

### STEP 4: CHECK ALL ELECTRICAL FUNCTIONS:

Any non-functioning items should be checked for proper installation. Any problems with your wiring and electrical circuit functions should be addressed to American Autowire Systems. Inc. as soon as possible to avoid any warranty problems.

If you have any questions concerning this or any of our products, please feel free to call us at 1-800-482-WIRE.



Brake Switch	p/n 500097	Button type, 2 blade conta
Brake Switch	p/n 500145	Button type, 4 blade conta
Brake Switch	p/n 500098	Original Lever type.
Universal Relay Kit	p/n 500479	Complete relay kit with w
Wiper Switch Master Disconnect	p/n 500146	Two speed wiper switch.
Switch	p/n 500003	HD battery disconnect.
Battery Junction		
Block	p/n 500155	Use for joining battery po
Assembly Manual	p/n 36385	Factory assembly manua

THIS KIT DOES NOT SUPPORT (STOCK) **ORIGINAL GENERATORS. THE UPDATED DESIGN OF THIS NEW KIT REQUIRES MORE POWER THAN THE (STOCK) ORIGINAL** GENERATOR IS CAPABLE OF SUPPLYING.



150 Heller PI #17 W Bellmawr, NJ 08031 856-933-0801

**DESCRIPTION:** 

"AMERICAN AUTOWIRE MAKES IT EASY!!"

SHEET 1

**OPTIONAL ACCESSORY KIT** 

tact to operate brake lights

tact to operate brake lights & cruise control / lock up converter.

viring and relay.

ower leads or ground leads al


PART #

## 500481

FULL VEHICLE WIRING KIT 1955-59 CHEVY/GMC TRUCK


92965287 Instruction Sheet

Rev 6.0 1/5/2022



C CHOKE LEAD WIRE	
	DK BLUE
	LT BLUE
	LT GREEN
	DK GREEN
	ORANGE
	TAN
	<b>RDOWN</b>

DK. BLUE
DK. GREEN
PINK
ORANGE
BROWN
WHITE
ENGINE





## THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK



www.americanautowire.com 856-933-0801

PART #



DESCRIPTION:

FULL VEHICLE WIRING KIT 1955-59 CHEVY/GMC TRUCK

92965287 Instruction Sheet Rev 6.

Rev 6.0 1/5/2022